



Bureau de normalisation
du Québec

BNQ is a member of the National
Standards System (NSS).

ANNEX TO THE CERTIFICATE

**BÉTON BRUNET LTÉE
(NEXT POLYMERS)**

340 Churchill Road
Prescott, Ontario K0E 1T0

BNQ 3624-135/2015-01-21

*Unplasticized Poly(Vinyl Chloride) [PVC-U] Pipe and Fittings — Pipes of
200 mm in Diameter or Larger for Sewage and Soil Drainage*

Page 1 of 1

Certificate number: **235**

Issue date: **2026-07-21**

Expiry date: **2028-06-30**

All certified pipes described below are made with gasket seal joints

TRADEMARK	OUTSIDE WALL	WALL EXTRUDED	CLASS	DIAMETER
Duraloc	Smooth (Type 1)	Single wall (not perforated)	SDR 35	200 mm, 250 mm, 300 mm, 375 mm and 450 mm
Duraloc	Smooth (Type 1)	Single wall (not perforated)	SDR 26	200 mm, 250 mm, 300 mm and 375 mm

Note: Clause 5.7 Gasketed bell-end joints are in compliance with ASTM D3139 when used with Trelleborg T-584 Anger-Lock EPDM (E-148 EPDM compound) gasket seal joints.

HISTORY

Date	Description
2017-03-17	Amendment of the certificate in reference to the 2015 edition of the standard and the certification protocol.
2018-06-19	Renewal of the certificate.
2020-06-26	Renewal of the certificate.
2021-08-04	Addition of Type I, 200 mm, 250 mm and 300 mm SDR26 sewer pipes.
2022-06-13	Renewal of the certificate.
2023-10-16	Modification of the business name.
2024-06-28	Renewal of the certificate.
2026-06-22	Renewal of the certificate.
2026-07-21	Addition of Type I, 375 mm SDR26 sewer pipes.

THE ANNEX IS AN INTEGRAL PART OF THE CERTIFICATE.